

# Inventory Summary

PWS Name: Reunion Ranch Water Control and Improvement District  
 PWSID: 1050175

**Purpose of this worksheet:** For water systems to provide a summary of the service line inventory, including information on ownership, inventory format, and the number of service lines for each of the four required materials classifications.

**Note:** Cells that have a superscript <sup>x</sup> are required fields.

## Part 1. General Information

1. Is this the <b>Initial Inventory</b> or an <b>Inventory Update</b> ? <sup>x</sup>	Initial Inventory
2a. Who <b>owns the service lines</b> in your system? <i>If other, please explain below.</i> <sup>x</sup>	Ownership is split
2b. Is there documentation that defines service line ownership in your system, such as a local ordinance? <i>If yes, please describe below and explain where ownership is split (e.g., property line, curb stop).</i>	Yes
3a. Describe when lead service lines were generally installed in your system below.  <b>Never</b>	
3b. When were lead service lines banned for the system? Reference the state or local ordinance that banned the use of lead in your system.  <b>1988 state wide adoption of EPA lead waterline ban.</b>	
4. Are there lead goosenecks, pigtails or connectors in the system?	No

## Part 2. Inventory Summary Table<sup>1</sup>

When using the **Detailed Inventory** worksheet, the classifications in the Column "Entire Service Line Material Classification" (Column Q) will be used to calculate the total number of service lines for each of the four material classifications below. **Remember this is the classification for the entire service line.**

Service Line Material Classification	Definition	Total Number of Service Lines (REQUIRED to be reported under the LCRR) <sup>x</sup>
<b>Lead</b>	Any portion of the service line is known to be made of lead. <sup>2</sup>	0
<b>Galvanized Requiring Replacement (GRR)</b>	The service line is not made of lead, but a portion is galvanized and the system is unable to demonstrate that the galvanized line was never downstream of a lead service line.	0
<b>Non-Lead</b>	All portions of the service line are known NOT to be lead or GRR through an evidence-based record, method, or technique.	520
<b>Lead Status Unknown</b>	The service line material is not known to be lead or GRR. For the entire service line or a portion of it (in cases of split ownership), there is not enough evidence to support material classification.	0
<b>TOTAL</b>		520

**Notes**

<sup>1</sup> This summary table is for reporting material for the entire service line connecting the water main to the customer's plumbing. See the **Classifying SLs** worksheet for additional guidance on assigning a materials classification to the entire service line when ownership is split. Remember that systems must track the system-owned and customer-owned portions separately in their inventory.

<sup>2</sup> A lead-lined galvanized service line is consistent with the definition of an LSL under the LCRR ("a portion of pipe that is made of lead, which connects the water main to the building inlet") (40 CFR §141.2) and must therefore be classified in the inventory as an LSL. Do not, however, count non-lead service lines with a lead gooseneck or pigtail as lead service lines.

## Detailed Inventory

PWS Name: Reunion Ranch Water Control and Improvement District  
 PWSID: 1050175

**Purpose of this worksheet:** To provide a format water systems can use to track materials for each service line in the distribution system.

**General Instructions:** Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.

**Note:** Cells that have a superscript <sup>†</sup> are required fields; Cells that have a superscript <sup>‡</sup> are conditionally required fields and can impact formulas throughout document.

TCEQ-20943 (Rev. 1/25/2023)

Location Information							System-Owned Portion			Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering			Lead Service Line Replacement		
Unique Service Line ID	Location Identifier <sup>†</sup>						System-Owned Portion Service Line Material Classification <sup>†</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>‡</sup>	Service Line Installation Date <sup>†</sup>	Customer-Owned Portion Service Line Material Classification <sup>†</sup>	Service Line Installation Date <sup>†</sup>	Notes	Entire Service Line Material Classification <sup>†</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
	Street Name <sup>†</sup>	City <sup>†</sup>	Zip Code <sup>†</sup>	Other Location Identifier <sup>†</sup>	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)												
A Unique ID is recommended for each service line.	Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.						Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement	Dropdown list when the service line was installed or replaced	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Date, year, or estimated date range when the service line was installed or replaced	Can use this field for documenting additional relevant information, including when classification changes.	Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown	Note: This information may be helpful for identifying lead tap monitoring locations.				
1	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
2	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
3	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
4	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
5	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
6	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
7	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
8	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
9	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
10	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
11	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
12	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
13	Denise Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
14	Denise Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
15	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
16	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
17	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
18	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
19	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
20	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
21	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
22	Denise Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
23	Denise Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
24	Denise Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
25	Finnel Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
26	Finnel Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
27	Finnel Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
28	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
29	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
30	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
31	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
32	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
33	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
34	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
35	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
36	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
37	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
38	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
39	Jayne Cv	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
40	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
41	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
42	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
43	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
44	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
45	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
46	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
47	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
48	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
49	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
50	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
51	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
52	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
53	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
54	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
55	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
56	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
57	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
58	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
59	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
60	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
61	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
62	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
63	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
64	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
65	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
66	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			

Location Information				System-Owned Portion					Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement	
Unique Service Line ID	Location Identifier <sup>1</sup>			System-Owned Portion Service Line Material Classification <sup>2</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>3</sup>	Service Line Installation Date <sup>4</sup>	Customer-Owned Portion Service Line Material Classification <sup>5</sup>	Service Line Installation Date <sup>6</sup>	Notes	Entire Service Line Material Classification <sup>7</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR		
	Street Name <sup>8</sup>	City <sup>9</sup>	Zip Code <sup>10</sup>													Other Location Identifier <sup>11</sup>	GPS Coordinate - Latitude (decimal degrees)
A Unique ID is recommended for each service line.	Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.			Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement	Dropdown list when the service line was installed or replaced	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Date, year, or estimated date range when the service line was installed or replaced	Can use this field for documenting additional relevant information, including when classification changes.	Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown	Note: This information may be helpful for identifying lead tap monitoring locations.						
67	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
68	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
69	Emma Loop	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
70	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
71	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
72	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
73	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
74	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
75	Margaret Cir	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
76	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
77	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
78	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
79	Angela Rose Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
80	Angela Rose Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
81	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
82	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
83	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
84	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
85	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
86	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
87	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
88	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
89	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
90	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
91	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
92	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
93	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
94	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
95	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
96	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
97	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
98	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
99	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
100	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
101	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
102	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
103	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
104	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
105	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
106	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
107	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
108	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
109	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
110	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
111	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
112	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
113	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
114	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
115	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
116	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
117	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
118	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
119	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
120	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
121	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
122	Mary Elise Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
123	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
124	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
125	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
126	Jacksdaw Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
127	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
128	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
129	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
130	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
131	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
132	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
133	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
134	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
135	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
136	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
137	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
138	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
139	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
140	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
141	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
142	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
143	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
144	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
145	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
146	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
147	Katie Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
148	Angela Rose Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
149	Angela Rose Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
150	Angela Rose Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
151	Angela Rose Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
152	Delayne Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			
153	Delayne Dr	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014			Tier 5			

Location Information				System-Owned Portion					Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement	
Unique Service Line ID	Location Identifier <sup>1</sup>			System-Owned Portion Service Line Material Classification <sup>2</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>3</sup>	Service Line Installation Date <sup>4</sup>	Customer-Owned Portion Service Line Material Classification <sup>5</sup>	Service Line Installation Date <sup>6</sup>	Notes	Entire Service Line Material Classification <sup>7</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR		
	Street Name <sup>8</sup>	City <sup>9</sup>	Zip Code <sup>10</sup>													Other Location Identifier <sup>1</sup>	GPS Coordinate - Latitude (decimal degrees)
A Unique ID is recommended for each service line.	Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.			Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement	Dropdown list when the service line was installed or replaced	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Date, year, or estimated date range when the service line was installed or replaced	Can use this field for documenting additional relevant information, including when classification changes.	Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown	Note: This information may be helpful for identifying lead tap monitoring locations.						
154	Tiffanie Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
155	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
156	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
157	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
158	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
159	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
160	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
161	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
162	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
163	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
164	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
165	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
166	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
167	Tiffanie Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
168	Tiffanie Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
169	Tiffanie Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
170	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
171	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
172	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
173	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
174	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
175	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
176	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
177	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
178	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
179	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
180	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
181	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
182	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
183	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
184	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
185	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
186	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
187	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
188	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
189	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
190	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
191	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
192	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
193	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
194	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
195	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
196	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
197	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
198	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
199	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
200	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
201	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
202	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
203	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
204	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
205	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
206	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
207	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
208	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
209	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
210	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
211	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
212	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
213	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
214	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
215	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
216	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
217	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
218	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
219	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
220	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
221	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
222	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
223	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
224	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
225	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
226	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
227	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
228	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
229	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
230	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
231	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
232	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
233	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
234	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
235	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
236	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
237	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
238	Jacksdaw Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
239	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
240	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				

Location Information				System-Owned Portion					Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement	
Unique Service Line ID	Location Identifier <sup>1</sup>			System-Owned Portion Service Line Material Classification <sup>2</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>3</sup>	Service Line Installation Date <sup>4</sup>	Customer-Owned Portion Service Line Material Classification <sup>5</sup>	Service Line Installation Date <sup>6</sup>	Notes	Entire Service Line Material Classification <sup>7</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR		
	Street Name <sup>8</sup>	City <sup>9</sup>	Zip Code <sup>10</sup>													Other Location Identifier <sup>1</sup>	GPS Coordinate - Latitude (decimal degrees)
A Unique ID is recommended for each service line.	Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.			Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement	Dropdown list when the service line was installed or replaced	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Date, year, or estimated date range when the service line was installed or replaced	Can use this field for documenting additional relevant information, including when classification changes.	Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown	Note: This information may be helpful for identifying lead tap monitoring locations.						
241	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
242	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
243	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
244	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
245	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
246	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
247	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
248	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
249	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
250	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
251	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
252	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
253	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
254	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
255	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
256	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
257	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
258	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
259	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
260	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
261	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
262	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
263	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
264	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
265	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
266	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
267	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
268	Jacksdow Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
269	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
270	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
271	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
272	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
273	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
274	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
275	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
276	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
277	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
278	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
279	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
280	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
281	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
282	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
283	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
284	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
285	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
286	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
287	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
288	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
289	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
290	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
291	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
292	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
293	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
294	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
295	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
296	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
297	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
298	Adam Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
299	Angela Rose Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
300	Angela Rose Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
301	Angela Rose Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
302	Angela Rose Ct	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
303	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
304	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
305	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
306	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
307	Clement Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
308	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
309	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
310	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
311	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
312	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
313	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
314	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
315	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
316	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
317	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
318	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
319	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
320	Delayne Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
321	Denise Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
322	Denise Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
323	Denise Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
324	Emma Loop	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
325	Emma Loop	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
326	Emma Loop	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
327	Emma Loop	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				

Location Information				System-Owned Portion			Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement		
Unique Service Line ID	Location Identifier <sup>x</sup>			System-Owned Portion Service Line Material Classification <sup>x</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>z</sup>	Service Line Installation Date <sup>1</sup>	Customer-Owned Portion Service Line Material Classification <sup>x</sup>	Service Line Installation Date <sup>1</sup>	Notes	Entire Service Line Material Classification <sup>x</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR	
	Street Name <sup>a</sup>	City <sup>a</sup>	Zip Code <sup>a</sup>													Other Location Identifier <sup>1</sup>
<i>A Unique ID is recommended for each service line.</i>	<i>Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.</i>			<i>Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field</i>	<i>Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement</i>	<i>Dropdown list when the service line was installed or replaced</i>	<i>Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.</i>	<i>Date, year, or estimated date range when the service line was installed or replaced</i>	<i>Can use this field for documenting additional relevant information, including when classification changes.</i>	<i>Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown</i>	<i>Note: This information may be helpful for identifying lead tap monitoring locations.</i>					
328	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
329	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
330	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
331	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
332	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
333	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
334	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
335	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
336	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
337	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
338	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
339	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
340	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
341	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
342	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
343	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
344	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
345	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
346	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
347	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
348	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
349	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
350	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
351	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
352	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
353	Emma Loop	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
354	Finnel Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
355	Finnel Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
356	Finnel Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
357	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
358	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
359	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
360	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
361	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
362	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
363	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
364	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
365	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
366	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
367	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
368	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
369	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
370	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
371	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
372	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
373	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
374	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
375	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
376	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
377	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
378	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
379	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
380	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
381	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
382	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
383	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
384	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
385	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
386	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
387	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
388	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
389	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
390	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
391	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
392	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
393	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
394	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
395	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
396	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
397	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
398	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
399	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
400	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
401	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
402	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
403	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
404	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
405	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
406	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
407	Jacksdaw Dr	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
408	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
409	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
410	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
411	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
412	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
413	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			
414	Jayne Cv	Austin	78737				Non-Lead - Copper	After 2014		Non-Lead			Tier 5			

Location Information				System-Owned Portion					Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement	
Unique Service Line ID	Location Identifier <sup>1</sup>			System-Owned Portion Service Line Material Classification <sup>2</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>3</sup>	Service Line Installation Date <sup>4</sup>	Customer-Owned Portion Service Line Material Classification <sup>5</sup>	Service Line Installation Date <sup>6</sup>	Notes	Entire Service Line Material Classification <sup>7</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR		
	Street Name <sup>8</sup>	City <sup>9</sup>	Zip Code <sup>10</sup>													Other Location Identifier <sup>1</sup>	GPS Coordinate - Latitude (decimal degrees)
A Unique ID is recommended for each service line.	Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.			Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field	Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement	Dropdown list when the service line was installed or replaced	Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.	Date, year, or estimated date range when the service line was installed or replaced	Can use this field for documenting additional relevant information, including when classification changes.	Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown	Note: This information may be helpful for identifying lead tap monitoring locations.						
415	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
416	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
417	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
418	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
419	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
420	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
421	Jayne Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
422	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
423	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
424	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
425	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
426	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
427	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
428	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
429	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
430	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
431	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
432	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
433	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
434	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
435	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
436	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
437	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
438	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
439	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
440	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
441	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
442	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
443	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
444	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
445	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
446	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
447	Katie Dr	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
448	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
449	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
450	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
451	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
452	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
453	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
454	Margaret Cir	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
455	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
456	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
457	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
458	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
459	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
460	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
461	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
462	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
463	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
464	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
465	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
466	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
467	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
468	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
469	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
470	Mary Elise Way	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
471	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
472	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
473	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
474	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
475	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
476	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
477	Patience Cv	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
478	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
479	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
480	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
481	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
482	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
483	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
484	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
485	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
486	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
487	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
488	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
489	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
490	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
491	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
492	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
493	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
494	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
495	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
496	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
497	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
498	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
499	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
500	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				
501	Reunion Blvd	Austin	78737		Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5				

Location Information							System-Owned Portion			Customer-Owned Portion			Additional Information to Assign Tap Monitoring Tiering			Lead Service Line Replacement		
Unique Service Line ID	Location Identifier <sup>x</sup>						System-Owned Portion Service Line Material Classification <sup>x</sup>	If Non-Lead in Column J, Was Material Ever Previously Lead? <sup>z</sup>	Service Line Installation Date <sup>1</sup>	Customer-Owned Portion Service Line Material Classification <sup>x</sup>	Service Line Installation Date <sup>1</sup>	Notes	Entire Service Line Material Classification <sup>x</sup>	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
	Street Name <sup>x</sup>	City <sup>x</sup>	Zip Code <sup>x</sup>	Other Location Identifier <sup>1</sup>	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)												
<i>A Unique ID is recommended for each service line.</i>	<i>Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.</i>						<i>Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field</i>	<i>Select Yes, No, or Don't know. Important for determining if downstream/customer-owned galvanized service line requires replacement</i>	<i>Dropdown list when the service line was installed or replaced</i>	<i>Dropdown list includes recommended subclassifications. If non-lead other, describe in Notes field.</i>	<i>Date, year, or estimated date range when the service line was installed or replaced</i>	<i>Can use this field for documenting additional relevant information, including when classification changes.</i>	<i>Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown</i>	<i>Note: This information may be helpful for identifying lead tap monitoring locations.</i>				
502	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
503	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
504	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
505	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
506	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
507	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
508	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
509	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
510	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
511	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
512	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
513	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
514	Reunion Blvd	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
515	Tiffany Way	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
516	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
517	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
518	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
519	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			
520	William Ct	Austin	78737				Non-Lead	No	After 2014	Non-Lead - Copper	After 2014				Tier 5			